


« Keeping your business rolling! »



www.mjmcanda.com

Ontario

2478 Exeter Cres.
Burlington, ON
L7P 1X4

Tel. : 905.315.9006

Toll free : 888.315.9006

Fax : 905.315.9006

saleson@mjmcanada.com

Québec

275, Des Braconniers
C.P. 75

St-Étienne-des-Grès, Qc
G0X 2P0

Tel. : 819 533-3615

819 535-6604

Toll free : 1 888 533-3615

Fax : 819 535-2739

salesqc@mjmcanada.com

MJM Wheel Application Guide

Wheel type	Capacity (lbs.)	Temperature Range (fahrenheit)	Floor Surfaces										Operating Conditions									
			Durometer Ratings	Carpet	Concrete	Linoleum	Asphalt	Terrazo	Smooth Steel	Ribbed Steel	Tile	Water	Mild Chemicals	Oil and Grease	High Heat (+250F)	Extreme Cold (+250F)	Animal Fats	Noise Reduction	Floor Protection	Cushion Load		
Soft Rubber	75-400	-30 to +160	75 (±5) A	●	●	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●
Hard Rubber	100-500	-30 to +160	75 (±5) D	●	●		●	●		●	●		●	●	●	●	●	●	●		●	
Grey Rubber Cushion	75-300	-20 to +160	70 (±5) A	●	●	●	●	●	●	●	●		●	●	●	●			●	●	●	●
Urethane on Alum.	425-2500	-30 to +180	70 (±5) D	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Poly-Loc Poly	150-1000	-30 to +180	95 (±5) A	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
One Piece Solid Urethane	300-1500	-50 to +180	60 (±5) D	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Nylon	120-1200	-50 to +212	65 (±5) D	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Hi-Temp Nylon	700-1400	-20 to +550	75 (±5) D	●	●					●	●			●	●	●		●	●	●		
Polyolefin	200-1000	-20 to +180	65 (±5) D	●	●	●	●			●	●	●	●	●	●	●	●					●
Retort	350-750	-20 to +280	70 (±5) D	●	●	●	●			●	●	●	●	●	●	●	●		●	●		●
White Nytron	225-900	-20 to +180	70 (±5) D	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Phenolic	400-8000	-40 to +250	85 (±5) D	●	●	●				●	●			●	●	●	●		●	●	●	
Hi-Temp Phenolic	250-1100	-40 to +475	85 (±5) D	●	●	●				●	●			●	●	●	●		●	●	●	
Mold-on Rubber	250-2570	-30 to +160	75 (±5) A	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Super Elastic Rubber	400-1950	-40 to +160	85 (±5) A	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Mold-on Polyurethane	300-11000	-30 to +180	55 (±5) D	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Cast Iron	400-3000	-45 to +800	N/A							●	●					●	●	●	●	●		
Semi-Steel	250-14000	-45 to +800	N/A							●	●					●	●	●	●	●		
Ductile Iron	1400-12000	-45 to +800	N/A							●	●					●	●	●	●	●		
Forged Steel	10000-20000	-45 to +800	N/A							●	●					●	●	●	●	●		
V-Groove	350-15000	-45 to +800	N/A							●	●					●	●	●	●	●		
Pneumatic	250-3600	-20 to +160	N/A	●	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●	●
Semi-Pneumatic	60-350	-20 to +160	N/A	●	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●	●
Cushion Tired Steel Disc	330-1100	-30 to +160	75 (±5) A	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Grey Hi Modulous Tread	225-700	-45 to +180	60 (±5) A	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●
Sandwich	400-450	-40 to +212	69 (±5) (D)	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Resilex	300-350	-40 to +212	75 (±5) (A)		●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●

Hard Rubber

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
2"	7/8"	1"	120	Self-Lubricating	MJM-CD287AL
2-1/2"	1-1/8"	1-3/8"	150	Self-Lubricating	MJM-CD2.5125AL
3"	1-1/4"	1-1/2"	210	Self-Lubricating	MJM-CD3125AL
4"	1-1/4"	1-1/2"	250	Self-Lubricating	MJM-CD4125AL
	1-3/8"	1-15/32"	300	Self-Lubricating	MJM-CD4137AL
	1-1/2"	1-5/8"	400	Self-Lubricating	MJM-CD4150AL
				Roller	MJM-CD4150
	2"	2-3/16"	450	Roller	MJM-CD420
5"	1-1/4"	1-1/2"	250	Self-Lubricating	MJM-CD5125AL
	1-3/8"	1-15/32"	300	Self-Lubricating	MJM-CD5137AL
	1-1/2"	1-5/8"	450	Self-Lubricating	MJM-CD5150AL
				Roller	MJM-CD5150
	2"	2-3/16"	550	Roller	MJM-CD520
6"	1-1/2"	1-5/8"	550	Roller	MJM-CD6150
	2"	2-3/16"	650	Roller	MJM-CD620
8"	2"	2-3/16"	700	Roller	MJM-CD820




Multi-Purpose Rubber Wheels

Soft Rubber

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
2"	7/8"	1"	90	Plain	MJM-CM287L
2-1/2"	1-1/8"	1-3/8"	125	Self-Lubricating	MJM-CM2.5125AL
3"	1-1/4"	1-1/2"	175	Self-Lubricating	MJM-CM3125AL
4"	1-1/4"	1-1/2"	190	Self-Lubricating	MJM-CM4125AL
	1-3/8"	1-15/32"	210	Self-Lubricating	MJM-CM4137AL
	1-1/2"	1-5/8"	220	Self-Lubricating	MJM-CM4150AL
				Roller	MJM-CM4150
	2"	2-3/16"	300	Roller	MJM-CM420
5"	1-1/4"	1-1/2"	200	Self-Lubricating	MJM-CM5125AL
	1-3/8"	1-15/32"	220	Self-Lubricating	MJM-CM5137AL
	1-1/2"	1-5/8"	300	Self-Lubricating	MJM-CM5150AL
				Roller	MJM-CM5150
	2"	2-3/16"	350	Roller	MJM-CM520
6"	1-1/2"	1-5/8"	300	Roller	MJM-CM6150
	2"	2-3/16"	380	Roller	MJM-CM620
8"	2"	2-3/16"	410	Roller	MJM-CM820





Blue Elastic Rubber (Resilex)

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
4"	1-3/8"	1-3/4"	440	Roller	MJM-BT4137
5"	1-3/8"	1-3/4"	440	Roller	MJM-BT5137
6-3/8"	1-11/16"	2-3/8"	660	Roller	MJM-BT620
8"	1-13/16"	2-3/8"	880	Roller	MJM-BT820
10"	1-13/16"	2-3/8"	880	Roller	MJM-BT1020



Rubber Tired Steel Disc Wheel

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
6"	1-3/8"	2-3/8"	300	Roller	MJM-CM287L
6-5/16"	1-9/16"	2-3/8"	325	Roller	MJM-CM2.5125AL
8"	2"	2-3/8"	450	Roller	MJM-CM3125AL
10"	2"	2-5/8"	600	Roller	MJM-CM4125AL



Cast Iron Wheels

Super Elastic Rubber on Cast Iron

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
4"	2"	2-3/16"	500	Roller	MJM-SE420
5"	2"	2-3/16"	700	Roller	MJM-SE520
6"	2"	2-3/16"	850	Roller	MJM-SE620
8"	2"	2-3/16"	1100	Roller	MJM-SE820
10"	3"	3-3/8"	1700	Timken	MJM-SE1030
12"	3"	3-3/8"	1950	Timken	MJM-SE12300



Grey Donut Non-Marking Rubber Wheels

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
5"	1'1/4"	1-1/2"	225	Roller	MJM-HM5125
6"	2"	2-3/16"	420	Roller	MJM-HM620
8"	2"	2-3/16"	500	Roller	MJM-HM820
10"	2"	2-3/16"	650	Roller	MJM-HM1020




Hi Capacity Moldon Rubber Wheels

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
4"	1-1/2"	1-5/8"	500	Roller	MJM-MR4150
	2"	2-1/4"	700	Roller	MJM-MR420
5"	1-1/2"	1-5/8"	600	Roller	MJM-MR5150
	2"	2-1/4"	800	Roller	MJM-MR520
6"	2"	2-1/4"	900	Roller	MJM-MR620
	2-1/2"	2-3/4"	1100	Roller	MJM-MR6250
	3"	3-1/4"	1360	Roller	MJM-MR630
8"	2"	2-1/4"	1000	Roller	MJM-MR820
	2-1/2"	2-3/4"	1200	Roller	MJM-MR8250
	3"	3-1/4"	1680	Roller	MJM-MR830
10"	2-1/2"	2-3/4"	1500	Roller	MJM-MR10250
	3"	3-1/4"	2000	Roller	MJM-MR1030
12"	2-1/2"	2-3/4"	1700	Roller	MJM-MR12250
	3"	3-1/4"	2280	Roller	MJM-MR1230
14"	3"	3-1/4"	2300	Roller	MJM-MR1430
16"	3"	3-1/4"	2570	Roller	MJM-MR1630
	5"	5'1/4"	2570	Roller	MJM-MR1650
18"	3"	3-1/4"	2800	Roller	MJM-MR1830
20"	3"	3-1/4"	3020	Roller	MJM-MR2030



Polyurethane on Heavy Duty Cast Iron Wheels

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
3-1/4"	2"	2-3/16"	600	Roller	MJM-UFR3.252
4"	1-1/2"	1-5/16"	600	Roller	MJM-UFR4150
	2"	2-3/16"	700	Roller	MJM-UFR420
5"	1-1/2"	1-5/16"	720	Roller	MJM-UFR5150
	2"	2-3/16"	1050	Roller	MJM-UFR520
	2-1/2"	2-3/4"	1300	Roller	MJM-UFR5250
6"	2"	2-3/16"	1230	Roller	MJM-UFR620
	3"	3-1/4"	2050	Roller	MJM-UFR630
	4"	4-1/4"	5750	Roller	MJM-UFR640
8"	2"	2-3/16"	1500	Roller	MJM-UFR820
	3"	3-1/2"	2500	Timken	MJM-UFR830
	4"	4-1/2"	5750	Timken	MJM-UFR840
10"	2-1/2"	2-3/4"	2350	Roller	MJM-UFR-1025
	3"	3-1/2"	3000	Timken	MJM-UFR1030
	4"	4-1/2"	5750	Timken	MJM-UFR1050
12"	3"	3-1/2"	3200	Timken	MJM-UFR1230
	4"	4-1/2"	5750	Timken	MJM-UFR1240
14"	5"	5-1/4"	5500	Timken	MJM-UFR1450
16"	3"	3-1/2"	4200	Timken	MJM-UFR1640
	5"	5-1/2"	8400	Timken	MJM-UFR1650
18"	5"	5-1/4"	6500	Timken	MJM-UFR1850
	6"	6-1/2"	7500	Timken	MJM-UFR1860



Urethane on Cast Iron

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
4"	2"	2-7/16"	900	Roller	MJM-UF420
5"	2"	2-7/16"	900	Roller	MJM-UF520
6"	2"	2-7/16"	1200	Roller	MJM-UF620
8"	2"	2-7/16"	1500	Roller	MJM-UF820
10"	2-1/2"	3-1/2"	3000	Roller	MJM-UF1020



Urethane on Aluminum

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
6"	2"	2-7/16"	400	Ball	MJM-UAR620
	3"	3-1/2"	700	Ball	MJM-UAR630
8"	2"	2-7/16"	500	Ball	MJM-UAR820
	3"	3-1/2"	850	Ball	MJM-UAR830
10"	2-1/2"	3"	1000	Ball	MJM-UAR10250

Polyurethane Interlok on Aluminum



Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
4"	1-1/2"	1-5/8"	425	Roller	MJM-PA4150
	2"	2-3/16"	700	Roller	MJM-PA420
5"	1-1/2"	1-5/8"	550	Roller	MJM-PA5150
	2"	2-3/16"	850	Roller	MJM-PA520
6"	1-1/2"	1-5/8"	575	Roller	MJM-PA6150
	2"	2-3/16"	900	Roller	MJM-PA620
8"	1-1/2"	1-5/8"	1000	Roller	MJM-PA8150
	2"	2-3/16"	1350	Roller	MJM-PA8200
	2-1/2"	2-7/8"	1600	Roller	MJM-PA8250
10"	2"	2-3/16"	1725	Roller	MJM-PA1020
	2-1/2"	2-3/4"	1900	Roller	MJM-PA1025
12"	3"	3-14"	2500	Roller	MJM-PA1230



Polyurethane on Polypropylene (Sani-Max and Sani-Soft)


Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model Number Sani-Max	Model Number Sani-Soft
4"	1-1/2"	1-5/8"	400	Delrin, Roller	MJM-SM4150	MJM-SS4150
	2"	2-3/16"	575	Delrin, Roller	MJM-SM420	MJM-SS420
5"	1-1/2"	1-5/8"	500	Delrin, Roller	MJM-SM5150	MJM-SS5150
	2"	2-3/16"	750	Delrin, Roller	MJM-SM520	MJM-SS520
6"	2"	2-3/16"	900	Delrin, Roller	MJM-SM620	MJM-SS620
8"	2"	2-3/16"	1000	Delrin, Roller	MJM-SM820	MJM-SS820



ROMAX (Polyolefin)


Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model Number
3"	1-1/4"	1-1/2"	250	Plain	MJM-RM3125
4"	1-1/4"	1-1/2"	300	Plain	MJM-RM4125
	1-1/2"	1-5/8"	400	Plain	MJM-RM4150
	2"	2-3/16"	450	Delrin	MJM-RM420
5"	1-1/4"	1-1/2"	450	Delrin	MJM-RM5125
	1-1/2"	1-5/8"		Delrin	MJM-RM5150
	2"	2-3/16"	550	Delrin	MJM-RM520
6"	1-1/2"	1-5/8"	550	Delrin	MJM-RM6150
	2"	2-3/16"	750	Delrin	MJM-RM620
8"	2"	2-3/16"	1000	Delrin	MJM-RM820

Sandwich Wheels



Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model Number
4"	1-3/8"	1-11/16"	440	Roller	MJM-SW4137
5"	1-3/8"	1-11/16"	440	Roller	MJM-SW5137

Nylon Wheels



Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model Number
2"	7/8"	1-1/16"	120	Plain	MJM-NY2075
2-1/2"	1-1/8"	1-7/16"	240	Plain	MJM-NY25125
3"	1-1/4"	1-1/2"	350	Plain	MJM-NY3125
	1-1/2"	1-5/8"	700	Roller	MJM-NY3150
	2"	2-3/16"	800	Roller	MJM-NY320
4"	1-1/4"	1-9/16"	350	Plain	MJM-NY4125
	1-3/8"	1-7/8"	500	Plain	MJM-NY41125
	1-1/2"	1-5/8"	600	Roller	MJM-NY4150
	2"	2-3/16"	800	Roller	MJM-NY420
5"	1-1/2"	1-5/8"	600	Roller	MJM-NY5125
	2"	2-3/16"	1000	Roller	MJM-NY520
6"	1-1/2"	1-5/8"	800	Roller	MJM-NY6150
	2"	2-3/16"	1200	Roller	MJM-NY620
8"	2"	2-3/8"	1000	Plain	MJM-NY820L
				Roller	MJM-NY820
		2-3/16"	1200	Roller	MJM-NY820HD



Phenolic Wheels

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
3"	1-1/4"	1-3/8"	300	Plain	MJM-PH3125L
				Roller	MJM-PH3125
	1-1/2"	1-5/8"	600	Roller	MJM-PH3150
4"	1-1/4"	1-3/8"	300	Plain	MJM-PH4125L
				Roller	MJM-PH4125
	2"	2-3/16"	800	Roller	MJM-PH420
5"	1-1/4"	1-3/8"	300	Plain	MJM-PH5125L
				Roller	MJM-PH5125
	1-1/2"	1-5/8"	600	Roller	MJM-PH5150
	2"	2-3/16"	1000	Roller	MJM-PH520
6"	1-1/2"	1-5/8"	800	Roller	MJM-PH6150
	2"	2-3/16"	1200	Roller	MJM-PH620
	2-1/2"	2-3/4"	1600	Roller	MJM-PH6250
	3"	3-1/4"	2000	Roller	MJM-PH630
8"	2"	2-3/16"	1400	Roller	MJM-PH820
	2-1/2"	2-3/4"	2000	Roller	MJM-PH8250
	3"	3-1/4"	3300	Roller	MJM-PH830
10"	2-1/2"	2-3/4"	2500	Roller	MJM-PH10250
	3"	3-1/4"	2900	Roller	MJM-PH1030
12"	2-1/2"	2-3/4"	3000	Roller	MJM-PH12250
	3"	3-1/4"	3500	Roller	MJM-PH1230
	3-1/2"	4-1/4"	4000	Roller	MJM-PH12350
16"	3"	4-1/4"	4000	Roller	MJM-PH1630
	4"	5-1/4"	8000	Roller	MJM-PH1640
18"	3"	3-1/4"	3500	Roller	MJM-PH1830

Pneumatic Wheels



Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Hub Type	Model Number
6"	2"	2-3/16"	300	Ball	Symetrical	MJM-PN620S
8"	2-1/2"	3-1/4"	300	Ball	Symetrical	MJM-PN825S
10"	3-1/2"	4"	350	Ball	Symetrical	MJM-PN1035S
		2-1/4"			Offset	MJM-PN1035D
12"	3-1/2"	4"	350	Ball	Symetrical	MJM-PN1235S
16"	4"	3"	500	Ball	Symetrical	MJM-PN1640S
17-1/4"	5-1/4"	5-1/2"	1000	Timken	Symetrical	MJM-PN17525S



Aluminum Wheels

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model Number
3"	1-1/4"	1-9/16"	200	Plain	MJM-AL315
4"	1-3/8"	1-5/8"	300	Plain	MJM-AL4137

Flat



Crowned



Ductile Iron Wheels

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model Number Flat	Model Number Crowned
3"	1-1/2"	1-5/8"	250	Roller	MJM-AF3150F	—
4"	1-1/2"	1-5/8"	1400	Roller	MJM-AF4150F	—
	2"	2-3/16"	1500	Roller	—	MJM-AF420B
5"	1-1/2"	1-5/8"	1400	Roller	MJM-AF5150F	—
	2"	2-3/16"	1500	Roller	—	MJM-AF520B
6"	2"	2-3/16"	1800	Roller	MJM-AF620F	—
			2000	Roller	—	MJM-AF620B
	2-1/2"	2-3/4"	3500	Roller	MJM-AF6250F	—
	3"	3-1/4"	6000	Roller	MJM-AF630F	MJM-AF630B
		3-1/2"	8000	Timken	MJM-AF630CF	MJM-AF630CB
	4"	4-1/4"	8000	Roller	MJM-AF640F	—
		4-1/2"	17000	Timken	MJM-AF640CF	—
	8"	2"	2-3/16"	2000	Roller	—
2-1/2"		2-3/4"	3500	Roller	MJM-AF8250F	—
3"		3-1/4"	6000	Roller	MJM-AF830F	MJM-AF830B
		3-1/2"	8000	Timken	MJM-AF830CF	MJM-AF830CB
4"		4-1/4"	8000	Roller	MJM-AF840F	—
		4-1/2"	17000	Timken	MJM-AF840CF	—
10"	2-1/2"	2-3/4"	4500	Roller	MJM-AF10250F	—
	3"	3-1/4"	6000	Roller	MJM-AF1030F	MJM-AF1030B
		3-1/2"	8000	Timken	MJM-AF1030CF	MJM-AF1030CB
	4"	4-1/4"	8000	Roller	MJM-AF1040F	—
		4-1/2"	17000	Timken	MJM-AF1040CF	—
12"	3"	3-1/4"	6000	Roller	MJM-AF1230F	MJM-AF1230B
		3-1/2"	8000	Timken	MJM-AF1230CF	MJM-AF1230B
	4"	4-1/4"	8000	Roller	MJM-AF1240F	—
		4-1/2"	17000	Timken	MJM-AF1240CF	—
14"	5"	5-1/4"	10000	Roller	MJM-AF1450F	—
		5-1/2"	25000	Timken	MJM-AF1450CF	—

Roller Bearings




ID	OD	Length	Part Number	Retainer Washers			Thrust Washer
				Steel	Nylon	Double Nylon	
1/2"	1-1/16"	1-1/8"	RB12125	RW116	NW116	—	TW12
5/8"	1-3/16"	1-3/8"	RB58150	RW136	NW136	DW136	TW58
		2"	RB58200				
3/4"	1-3/16"	1-3/8"	RB34136	RW136	NW136	DW136	TW34
		1-7/8"	RB34178				
		2"	RB34200				
1"	1-7/16"	2"	RB10200	RW1076	—	—	TW10
	1-15/16"	2-1/2"	RB10250	RW1015	NW156		
		3"	RB10300				
1-1/4"	1-15/16"	2-1/2"	RB14250	RW1415	—	—	TW14
		3"	RB14300				
	2-7/16"	4"	RB14400	RW1426	—	—	
		5"	RB14500				
1-1/2"	2-7/16"	4"	RB15400	RW1526	—	—	TW15
		5"	RB15500				

Axel Kits



Spanner Bushings

ID	OD	Length	Part Number
5/16"	3/8"	1-1/2"	SB-5638112
		1-9/16"	SB-5638196
	1/2"	1-9/16"	SB-5612196
	5/8"	1-11/16"	SB-5658111
3/8"	12mm	1-7/8"	SB-56RM178
	1/2"	1-9/16"	SB-3812196
		1-7/8"	SB-3812178
	5/8"	1-11/16"	SB-3858111
1/2"		1-7/8"	SB-3858178
	5/8"	1-7/8"	SB-1258178
		2-7/16"	SB-1258276
	3/4"	1-7/8"	SB-1234178
5/8"		2-7/16"	SB-1234276
	1"	3"	SB-1210300
		3-1/2"	SB-1210312
	3/4"	1-7/8"	SB-5834178
3/4"		2-7/16"	SB-5834276
	1"	3"	SB-5810300
		3-1/2"	SB-5810312
	3/4"	1"	SB-3410300
1"		3-1/2"	SB-3410312
	1-1/4"	3-1/2"	SB-1014312
		4-1/2"	SB-1014412
	1-1/2"	3-1/2"	SB-1415312
1-1/4"	1-1/2"	4-1/2"	SB-1415412



Diameter	Length	Part Number Plain Axel	Part Number Grease Axel
1/4"	1-1/2"	AK25112	—
	1-3/4"	AK25134	—
	2"	AK25200	—
5/16"	2"	AK56200	—
	2-1/4"	AK56214	GAK56214
	2-1/2"	AK56212	GAK56212
3/8"	2-1/4"	AK38214	GAK38214
	2-1/2"	AK38212	GAK38212
	3"	AK38300	GAK38300
1/2"	3"	AK12300	GAK12300
	3-1/2"	AK12312	GAK12312
	4"	AK12400	GAK12400
	4-1/2"	AK12412	GAK12412
	5"	AK12500	GAK12500
	5-1/2"	AK12512	GAK12512
3/4"	6-1/2"	AK12612	GAK12612
	4-1/2"	AK34412	GAK34412
	5"	AK34500	GAK34500
1"	5-1/2"	AK34512	GAK34512
	9"	AK34900	GAK34900
	5-1/2"	AK15112	GAK15112
1-1/4"	6-1/2"	AK14612	GAK14612
	7"	AK14700	GAK14700
	9-1/2"	AK14912	—
	13"	AK14130	GAK14130



Stainless Steel Roller Bearings

ID	OD	Length	Part Number
3/4"	1-3/16"	1-3/8"	SSRB-34150
		2"	SSRB-34200
1"	1-15/16"	3"	SSRB-10300



Stainless Steel Axels

Diameter	Length	Part Number Plain Axel	Part Number Grease Axel
5/16"	2-1/4"	SSAK56214	SSGAK56214
3/8"	2-1/2"	SSAK38212	SSGAK38212
1/2"	3"	SSAK12300	SSGAK12300
	3-1/2"	SSAK12312	SSGAK12312
3/4"	4-1/2"	SSAK34412	SSGAK34412
	5"	SSAK34500	SSGAK34500



Spanner Bushings


ID	OD	Length	Stainless Steel	Delrin	Hi-Lex
5/16"	12mm	1-5/8"	—	—	HL-56
		1-11/16"	SSB-5612M111	—	—
		1-7/8"	SSB-5612M178	—	—
	1/2"	1-9/16"	SSB-5612196	DSB-5612196	—
	5/8"	1-11/16"	SSB-5658111	—	—
	3/4"	1-11/16"	SSB-5634111	—	—
3/8"	1/2"	1-9/16"	SSB-3812196	—	—
		1-5/8"	—	DSB-3812158	—
	15mm	1-7/8"	SSB-3815M178	—	HL-38
	5/8"	1-11/16"	SSB-3858111	—	—
		1-7/8"	SSB-3858178	—	—
	3/4"	1-11/16"	SSB-3834111	—	—
		1-7/8"	SSB-3834178	—	—
1/2"	3/4"	1-7/8"	SSB-1234178	DSB-1234178	—
		2-7/16"	SSB-1234276	DSB-1234276	—
3/4"	1"	3"	SSB-3410300	—	—
		3-1/2"	SSB-3410312	—	—



One Piece Delrin Bearings

ID	OD	Length	Part Number
1/2"	1-3/16"	1-5/8"	DB-12150
		2-1/8"	DB-12200
5/8"	1-3/16"	1-5/8"	DB-58150
		2-1/8"	DB-58200
3/4"	1-3/16"	1-5/8"	DB-34150
		2-1/8"	DB-34200
1"	1-7/16"	2"	DB-10200
	1-15/16"	2@1-1/4"	DB-10250
		2@1-1/2"	DB-10300
1-1/4"	1-15/16"	2@1-1/4"	DB-14250
		2@1-1/2"	DB-14300

Replacement Parts



V-Groove Ductile Iron Wheels

Wheel Diameter	Tread Width	Hub Length	Capacity (Lbs)	Bearing Type	Model number
4"	2"	2-3/16"	1500	Roller	MJM-VG420
5"	2"	2-3/16"	1500	Roller	MJM-VG520
6"	2"	2-3/16"	1800	Roller	MJM-VG620
	2-1/2"	2-3/4"	3500	Roller	MJM-VG6250
	3"	3-1/2"	6000	Timken	MJM-VG630
	4"	4-1/2"	17000	Timken	MJM-VG640
8"	2"	2-3/16"	2000	Roller	MJM-VG820
	2-1/2"	2-3/4"	3500	Roller	MJM-VG8250
	3"	3-1/2"	6000	Timken	MJM-VG830
	4"	4-1/2"	17000	Timken	MJM-VG840
10"	3"	3-1/2"	6000	Timken	MJM-VG1030
	4"	4-1/2"	17000	Timken	MJM-VG1040
12"	3"	3-1/2"	6000	Timken	MJM-VG1230
	4"	4-1/2"	17000	Timken	MJM-VG1240
14"	5"	5-1/2"	25000	Timken	MJM-VG1450



Wheel Diameter	Type	Capacity (Lbs)	Mounting Type	Mounting Dimensions	Bolt Hole Centres	Model Number	Load Height
2"	Non-Marking Rubber	60	Top Plate	2" x 1-1/4"	1-9/16" x 13/16"	MJM-BP50R	2-21/32"
2"	Non-Marking Rubber	60	Stem and Socket	3/8" x 1-9/16"	—	MJM-BS50R	2-9/16"
2"	Non-Marking Rubber	60	Threaded Stem	5/16" x 1"	—	MJM-BT50R	2-21/32"
2"	Non-Marking Rubber	60	Stem and Circlip	7/16" x 1"	—	MJM-BF50R	2-9/16"



Light Duty Casters - 60 - 100 lbs.

Wheel Diameter	Type	Capacity (Lbs)	Mounting Type	Mounting Dimensions	Bolt Hole Centres	Model Number Nylon Hood	Model Number Chrome Hood	Load Height
2"	Nylon	75	Top Plate	1-1/2" x 1-1/2"	1" x 1"	MJM-NP50N	MJM-NP50M	2-21/32"
2"	Nylon	75	Stem and Socket	3/8" x 1-9/16"	—	MJM-NS50N	MJM-NS50M	2-9/16"
2"	Nylon	75	Threaded Stem	5/16" x 1"	—	MJM-NT50N	—	2-21/32"
2"	Nylon	75	Stem and Circlip	7/16" x 1"	—	MJM-NF50N	MJM-NF50M	2-9/16"
2-1/2"	Nylon	100	Stem and Circlip	7/16" x 1"	—	MJM-NF60N	MJM-NF60M	2-9/16"
2-1/2"	Nylon	100	Threaded Stem	5/16" x 1"	—	MJM-NT60N	—	2-9/16"

Note: Nylon Hood casters available with foot pedal brake. Add suffix "BR" to model number when ordering.

Non-Marking Rubber Casters



Wheel Diameter	Type	Capacity (Lbs)	Mounting Type	Mounting Dimensions	Bolt Hole Centres	Model Number	Load Height
2"	Non-Marking Rubber	80	Top Plate	1-3/16" x 2"	13/16" x 1-9/16"	MJM-203101	2-1/2"
			Threaded Stem	3/8" x 1"	–	MJM-204101	
			Stem and Circlip	7/16" x 1-3/8"	–	MJM-209101	
2-1/2"	Non-Marking Rubber	80	Top Plate	1-3/16" x 2"	13/16" x 1-9/16"	MJM-253101	3"
			Threaded Stem	3/8" x 1"	–	MJM-254101	
			Stem and Circlip	7/16" x 1-3/8"	–	MJM-259101	
3"	Non-Marking Rubber	80	Top Plate	1-3/16" x 2"	13/16" x 1-9/16"	MJM-303101	3-1/2"
			Threaded Stem	3/8" x 1"	–	MJM-304101	
			Stem and Circlip	7/16" x 1-3/8"	–	MJM-309101	

*Note:

All models available with brakes. Add suffix "BR" to model number when ordering.
All tread widths are 13/16".



Grey Rubber



Wheel Diameter	Type	Capacity (Lbs)	Mounting Type	Mounting Dimensions	Bolt Hole Centres	Model Number Swivel	Model Number Swivel w/Brake	Load Height
2"	Grey Non-Marking Rubber	90	Top Plate	2" x 2"	1-1/2" x 1-1/2"	MJM-6507	MJM-6527	2-7/8"
			Bolt Hole	13/32"	–	MJM-3307	MJM-3327	
3"	Grey Non-Marking Rubber	135	Top Plate	2-9/16" x 2-9/16"	1-5/16" x 1-5/16"	MJM-6707	MJM-6727	4"
			Bolt Hole	13/32"	–	MJM-3707	MJM-3727	
4"	Grey Non-Marking Rubber	155	Top Plate	3" x 3"	1-1/2" x 1-1/2"	MJM-6807	MJM-6827	5-1/4"
			Bolt Hole	1/2"	–	MJM-3807	MJM-3827	



Light Duty Casters - 125 - 200 Lbs

Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
3"	15/16"	125	Soft Rubber	Plain	MJM-325103	MJM-326103	3-3/4"
		150	Hard Rubber	Plain	MJM-325104	MJM-326104	
4"	15/16"	125	Soft Rubber	Plain	MJM-425103	MJM-426103	4-3/4"
		150	Hard Rubber	Plain	MJM-425104	MJM-426104	
	1"	150	Poly Loc Grey	Ball	MJM-425212G	MJM-426212G	
		200	Polyurethane	Ball	MJM-425212P	MJM-426212P	
5"	15/16"	125	Soft Rubber	Plain	MJM-525103	MJM-526103	5-3/4"
		150	Hard Rubber	Plain	MJM-525104	MJM-526104	
	1"	150	Poly Loc Grey	Ball	MJM-525212G	MJM-526212G	
		200	Polyurethane	Ball	MJM-525212P	MJM-526212P	

Light Duty Caster Adapters 200Lbs



Medium Duty Casters 150 - 300 Lbs



Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
3"	1-1/4"	150	Soft Rubber	Plain	MJM-311RS	—	4-1/4"
		220	Hard Rubber	Plain	MJM-311RH	—	
		250	Solid Urethane	Plain	MJM-311KP	—	
			Polyolefin	Plain	MJM-311DU	—	
	300	Cast Iron	Plain	MJM-311CI	—		
	1-1/2"	300	Phenolic	Plain	MJM-311AC	—	
4"	1-1/4"	300	Poly Loc Grey	Ball	MJM-411PPB	MJM-419PPB	5"
			Solid Urethane	Plain	MJM-411KP	MJM-419KP	
			Cast Iron	Plain	MJM-411CI	MJM-419CI	
	1-3/8"	200	Grey Rubber Cushion	Plain	MJM-411PSW	MJM-419PSW	
				Roller	MJM-411PSWB	MJM-419PSWB	
	1-1/2"	300	Nylon	Plain	MJM-411NY	MJM-419NY	
				Roller	MJM-411NYB	MJM-419NYB	
			Phenolic	Plain	MJM-411AC	MJM-419AC	
				Roller	MJM-411ACB	MJM-419ACB	
			Poly on Alum	Roller	MJM-411FAB	MJM-419FAB	
			5"	1-1/4"	300	Poly Loc Grey	
Solid Urethane	Plain	MJM-511KP				MJM-519KP	
Cast Iron	Plain	MJM-511CI				MJM-519CI	
Poly Loc Blue	Ball	MJM-511SCB				MJM-519SCB	
1-3/8"	225	Grey Rubber Cushion		Plain	MJM-511PSW	MJM-519PSW	
				Roller	MJM-511PSWB	MJM-519PSWB	
1-1/2"	300	Nylon		Plain	MJM-511NY	MJM-519NY	
				Roller	MJM-511NYB	MJM-519NYB	
		Phenolic		Plain	MJM-511AC	MJM-519AC	
				Roller	MJM-511ACB	MJM-519ACB	
		Poly on Alum		Roller	MJM-511FAB	MJM-519FAB	

Medium Duty Casters - 450 Lbs



Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Swivel w/ Brake	Model Number Rigid	Load Height
4"	2"	450	Sandwich	Roller	MJM-72748	MJM-74748	MJM-73748	5-1/4"
5"	2"	450	Sandwich	Roller	MJM-79966	MJM-74966	MJM-79967	6-1/8"

Medium Duty Casters 90 - 450 Lbs




Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
2"	7/8"	125	Nylon	Plain	MJM-961NY	MJM-988NY	2-5/8"
		90	Blue Elastic	Plain	MJM-961RN	MJM-988RN	
2-1/2"	1-1/8"	180	Nylon	Plain	MJM-261NY	MJM-288NY	3-3/16"
		110	Blue Elastic	Plain	MJM-261RN	MJM-288RN	
3"	1-1/4"	150	Soft Rubber	Plain	MJM-361RS	MJM-388RS	3-3/4"
		250	Nylon	Plain	MJM-361NY	MJM-388NY	
			Superthane	Plain	MJM-361SU	MJM-388SU	
			Polyolefin	Plain	MJM-361DU	MJM-388DU	
			Cast Iron	Plain	MJM-361CI	MJM-388CI	
			Phenolic	Plain	MJM-361AC	MJM-388AC	
		4"	1-3/8"	450	Nylon	Plain	
	Roller		MJM-461NYB	MJM-488NYB			
1-1/2"	400		Super Elastic	Roller	MJM-461RTB	MJM-488RTB	
			Polyolefin	Plain	MJM-461DU	MJM-488DU	
				Roller	MJM-461DUB	MJM-488DUB	
			420	Poly Loc Ploy	Roller	MJM-461PPB	MJM-488PPB
	425		Urethane	Roller	MJM-461FAB	MJM-488FAB	
	450		Cast Iron	Plain	MJM-461CI	MJM-488CI	
				Roller	MJM-461CIB	MJM-488CIB	
			Phenolic	Plain	MJM-461AC	MJM-488AC	
				Roller	MJM-461ACB	MJM-488ACB	
	V-Groove		Roller	MJM-461GRB	MJM-488GRB		
1-5/8"	225		Soft Rubber	Plain	MJM-461RS	MJM-488RS	
				Roller	MJM-461RSB	MJM-488RSB	
	300		Hard Rubber	Plain	MJM-461RH	MJM-488RH	
				Roller	MJM-461RHB	MJM-488RHB	
	450		Superthane	Roller	MJM-461SUB	MJM-488SUB	



Medium Duty Casters - 225 - 700 Lbs

Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
4"	1-3/8"	500	Nylon	Plain	MJM-412NY	MJM-424NY	5-5/8"
				Roller	MJM-412NYB	MJM-424NYB	
	1-1/2"	250	Mold on Rubber	Roller	MJM-412MOB	MJM-424MOB	
		400	Polyolefin	Plain	MJM-412DU	MJM-424DU	
				Roller	MJM-412DUB	MJM-424DUB	
		420	Poly Loc Poly	Roller	MJM-412PPB	MJM-424PPB	
		425	Poly Loc on Alum	Roller	MJM-412FAB	MJM-424FAB	
		600	Mold on Urethane	Roller	MJM-412MPB	MJM-424MPB	
			Phenolic	Plain	MJM-412AC	MJM-424AC	
				Roller	MJM-412ACB	MJM-424ACB	
			Cast Iron	Plain	MJM-412CI	MJM-424CI	
				Roller	MJM-412CIB	MJM-424CIB	
	1-5/8"	225	Soft Rubber	Plain	MJM-412RS	MJM-424RS	
				Roller	MJM-412RSB	MJM-424RSB	
		300	Hard Rubber	Plain	MJM-412RH	MJM-424RH	
				Roller	MJM-412RHB	MJM-424RHB	
5"	1-3/8"	550	Nylon	Plain	MJM-512NY	MJM-524NY	6-1/2"
				Roller	MJM-512NYB	MJM-524NYB	
	1-1/2"	300	Mold on Rubber	Roller	MJM-512MOB	MJM-524MOB	
		450	Poly Loc Poly	Roller	MJM-512PPB	MJM-524PPB	
		500	Super Elastic	Roller	MJM-512RTB	MJM-524RTB	
		550	Polyolefin	Plain	MJM-512DU	MJM-524DU	
				Roller	MJM-512DUB	MJM-524DUB	
			Poly Loc on Alum	Roller	MJM-512FAB	MJM-524FAB	
		600	Phenolic	Plain	MJM-512AC	MJM-524AC	
				Roller	MJM-512ACB	MJM-524ACB	
		700	Urethane on Cast	Roller	MJM-512MPB	MJM-524MPB	
	1-5/8"	260	Soft Rubber	Plain	MJM-512RS	MJM-524RS	
				Roller	MJM-512RSB	MJM-524RSB	
		400	Hard Rubber	Plain	MJM-512RH	MJM-524RH	
				Roller	MJM-512RHB	MJM-524RHB	
		700	Cast Iron	Plain	MJM-512CI	MJM-524CI	
				Roller	MJM-512CIB	MJM-524CIB	

Medium Duty Casters - 300 - 900 Lbs




Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
4"	2"	500	Super Elastic	Roller	MJM-413RTB	MJM-423RTB	5-5/8"
		550	Polyolefin	Roller	MJM-413DUB	MJM-423DUB	
		600	Poly Loc Poly	Roller	MJM-413PPB	MJM-423PPB	
		700	Poly Loc Alum	Roller	MJM-413FAB	MJM-423FAB	
			Solid Urethane	Roller	MJM-413KPB	MJM-423KPB	
			Urethane on Cast	Roller	MJM-413MPB	MJM-423MPB	
			Cast Iron	Roller	MJM-413CIB	MJM-423CIB	
		800	Phenolic	Roller	MJM-413ACB	MJM-423ACB	
			V-Groove	Roller	MJM-413GRB	MJM-423GRB	
		900	Nylon	Roller	MJM-413NYB	MJM-423NYB	
5"	2"	650	Polyolefin	Roller	MJM-513DUB	MJM-523DUB	6-1/2"
		700	Super Elastic	Roller	MJM-513RTB	MJM-523RTB	
		750	Poly Loc Poly	Roller	MJM-513PPB	MJM-523PPB	
		850	Poly Loc Alum	Roller	MJM-513FAB	MJM-523FAB	
		900	Solid Urethane	Roller	MJM-513KPB	MJM-523KPB	
			V-Groove	Roller	MJM-513GRB	MJM-523GRB	
		1000	Urethane on Cast	Roller	MJM-513MPB	MJM-523MPB	
			Cast Iron	Roller	MJM-513CIB	MJM-523CIB	
			Nylon	Roller	MJM-513NYB	MJM-523NYB	
			Phenolic	Roller	MJM-513ACB	MJM-523ACB	

Continues on the next page

Medium Duty Casters - 400 - 1000 Lbs

Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
6"	1-1/2"	700	Nylon	Roller	MJM-613NYB	MJM-623NYB	7-1/2"
	1-3/4"	900	Super Elastic	Roller	MJM-613RTB	MJM-623RTB	
			Cast Iron	Roller	MJM-613CIB	MJM-623CIB	
	2"	400	Soft Rubber	Roller	MJM-613RSB	MJM-623RSB	
			Mold on Rubber	Roller	MJM-613MOB	MJM-623MOB	
		550	Hard Rubber	Roller	MJM-613RHB	MJM-623RHB	
		800	Polyolefin	Roller	MJM-613DUB	MJM-623DUB	
		850	Poly Loc on Alum	Roller	MJM-613FAB	MJM-623FAB	
		900	Polyurethane	Roller	MJM-613MPB	MJM-623MPB	
			Phenolic	Roller	MJM-613ACB	MJM-623ACB	
			Poly Loc Poly	Roller	MJM-613PPB	MJM-623PPB	
			V-Groove	Roller	MJM-613GRB	MJM-623GRB	
	2-1/8"	350	Cushion Rubber	Ball	MJM-613BCB	MJM-623BCB	
8"	1-1/2"	1000	Nylon	Roller	MJM-813NYB	MJM-823NYB	9-1/2"
	1-3/4"	1000	Cast Iron	Roller	MJM-813CIB	MJM-823CIB	
	2"	500	Mold on Rubber	Roller	MJM-813MOB	MJM-823MOB	
		1000	Polyurethane	Roller	MJM-813MPB	MJM-823MPB	
			Polyolefin	Roller	MJM-813DUB	MJM-823DUB	
			Phenolic	Roller	MJM-813ACB	MJM-823ACB	
			Poly Loc on Alum	Roller	MJM-813FAB	MJM-823FAB	
			Mold on Rubber	Roller	MJM-813RTB	MJM-823RTB	
			Poly Loc Poly	Roller	MJM-813PPB	MJM-823PPB	
	2-1/4"	450	Cushion Rubber	Ball	MJM-813BCB	MJM-823BCB	



Mounting Specifications

Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
4" x 4-1/2"	2-5/8" x 3-5/8" slotted to 3" x 3"	3/8"

Heavy Duty Casters - 325 - 1500 Lbs



Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
4"	2"	325	Soft Rubber	Roller	MJM-415RSB	MJM-425RSB	5-5/8"
		350	Mold on Rubber	Roller	MJM-415MOB	MJM-425MOB	
		500	Polyolefin	Roller	MJM-415DUB	MJM-425DUB	
		700	Polyurethane	Roller	MJM-415MPB	MJM-425MPB	
			Solid Urethane	Roller	MJM-415KPB	MJM-425KPB	
			Cast Iron	Roller	MJM-415CIB	MJM-425CIB	
			Urethane on Alum	Roller	MJM-415FAB	MJM-425FAB	
		800	V-Groove	Roller	MJM-415GRB	MJM-425GRB	
			Phenolic	Roller	MJM-415ACB	MJM-425ACB	
		1200	Ductile Iron	Roller	MJM-415DFB	MJM-425DFB	
5"	2"	350	Soft Rubber	Roller	MJM-515RSB	MJM-525RSB	6-1/2"
		400	Mold on Rubber	Roller	MJM-515MOB	MJM-525MOB	
		650	Polyolefin	Roller	MJM-515DUB	MJM-525DUB	
		750	Poly Loc Poly	Roller	MJM-515PPB	MJM-525PPB	
		800	V-Groove	Roller	MJM-515GRB	MJM-525GRB	
		850	Urethane on Alum	Roller	MJM-515FAB	MJM-525FAB	
		1000	Polyurethane	Roller	MJM-515MPB	MJM-525MPB	
			Cast Iron	Roller	MJM-515CIB	MJM-525CIB	
			Phenolic	Roller	MJM-515ACB	MJM-525ACB	
			Solid Urethane	Roller	MJM-515KPB	MJM-525KPB	
		1200	Ductile Iron	Roller	MJM-515DFB	MJM-525DFB	

Continues on the next page



Heavy Duty Casters - 325 - 1500 Lbs


Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
6"	1-1/2"	850	Nylon	Roller	MJM-C615NYB	MJM-625NYB	7-1/2"
	1-3/4"	850	Super Elastic	Roller	MJM-C615RTB	MJM-625RTB	
	2"	450	Mold on Rubber	Roller	MJM-C615MOB	MJM-625MOB	
		800	Polyolefin	Roller	MJM-C615DUB	MJM-625DUB	
		900	Urethane on Alum	Roller	MJM-C615FAB	MJM-625FAB	
			Poly Loc Poly	Roller	MJM-C615PPB	MJM-625PPB	
		1000	V-Groove	Roller	MJM-C615FAB	MJM-625FAB	
		1200	Polyurethane	Roller	MJM-C615MPB	MJM-625MPB	
			Phenolic	Roller	MJM-C615ACB	MJM-625ACB	
			Urethane	Roller	MJM-C615KPB	MJM-625KPB	
			Cast Iron	Roller	MJM-C615CIB-SP	MJM-625CIB-SP	
		1500	Ductile Iron	Roller	MJM-C615DFB	MJM-625DFB	
			Cast Iron	Roller	MJM-C615CIB	MJM-625CIB	
			HD Polyurethane	Roller	MJM-CW615FPB	MJM-W625FPB	
	2-1/2"	575	Mold on Rubber	Roller	MJM-CW615MOB	MJM-W625MOB	
		1500	Polyurethane	Roller	MJM-CW615MPB	MJM-W625MPB	
			Cast Iron	Roller	MJM-CW615CIB	MJM-W625CIB	
			Phenolic	Roller	MJM-CW615ACB	MJM-W625ACB	
			V-Groove	Roller	MJM-CW615GRB	MJM-W625GRB	
8"	1-1/2"	1000	Nylon	Roller	MJM-C815NYB	MJM-825NYB	10-1/8"
	2"	525	Mold on Rubber	Roller	MJM-C815MOB	MJM-825MOB	
		1100	Super Elastic	Roller	MJM-C815RTB	MJM-825RTB	
		1500	Polyurethane	Roller	MJM-C815MPB	MJM-825MPB	

Continues on the next page

Heavy Duty Casters - 325 - 1500 Lbs

Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
8"	2"	1000	Polyolefin	Roller	MJM-C815DUB	MJM-C825DUB	10-1/8"
			Poly Loc Poly	Roller	MJM-C815PPB	MJM-C825PPB	
		1350	Urethane on Alum	Roller	MJM-C815FAB	MJM-C825FAB	
		1400	Cast Iron	Roller	MJM-C815CIB-SP	MJM-C825CIB-SP	
		1500	Solid Urethane	Roller	MJM-C815KPB	MJM-C825KPB	
			Cast Iron	Roller	MJM-C815CIB	MJM-C825CIB	
			Phenolic	Roller	MJM-C815ACB	MJM-C825ACB	
			Ductile Iron	Roller	MJM-C815DFB	MJM-C825DFB	
			HD Polyurethane	Roller	MJM-CW815FPB	MJM-CW825FPB	
	2-1/2"	675	Mold on Rubber	Roller	MJM-CW815MOB	MJM-CW825MOB	
		1400	Polyurethane	Roller	MJM-CW815MPB	MJM-CW825MPB	
			Urethane on Alum	Roller	MJM-CW815FAB	MJM-CW825FAB	
		1500	Cast Iron	Roller	MJM-CW815CIB	MJM-CW825CIB	
			Phenolic	Roller	MJM-CW815ACB	MJM-CW825ACB	
			V-Groove	Roller	MJM-CW815GRB	MJM-CW825GRB	
10"	2"	550	Semi-pneumatic	Ball	MJM-CW1015BCB	MJM-CW1025BCB	11-1/2"
	2-1/4"	800	Mold on Rubber	Roller	MJM-CW1015MOB	MJM-CW1025MOB	
	2-1/2"	1500	Polyurethane	Roller	MJM-CW1015MPB	MJM-CW1025MPB	
			Cast Iron	Roller	MJM-CW1015CIB	MJM-CW1025CIB	
			Phenolic	Roller	MJM-CW1015ACB	MJM-CW1025ACB	
			HD Polyurethane	Roller	MJM-CW1015FPB	MJM-CW1025FPB	
			Urethane on Alum	Roller	MJM-CW1015FAB	MJM-CW1025FAB	

Mounting Specifications



Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
4-1/2" x 6-1/4"	2-7/16" x 4-15/16" slotted to 3-3/8" x 5-1/4"	1/2"



Heavy Duty Casters - 680 - 2500 Lbs

Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
6"	2-1/2"	1600	Phenolic	Roller	MJM-W623ACBSP	MJM-W633ACBSP	7-1/2"
		2250	Ductile Iron	Roller	MJM-W623DFB	MJM-W633DFB	
	3"	680	Mold on Rubber	Roller	MJM-W623MOB	MJM-W633MOB	
		2000	Phenolic	Roller	MJM-W623ACB	MJM-W633ACB	
			Cast Iron	Roller	MJM-W623CIB	MJM-W633CIB	
			Polyurethane	Roller	MJM-W623MPB	MJM-W633MPB	
		2250	V-Groove	Roller	MJM-W623GRB	MJM-W633GRB	
8"	2-1/2"	2000	Phenolic	Roller	MJM-W823ACBSP	MJM-W833ACBSP	10-1/8"
		2250	Ductile Iron	Roller	MJM-W823DFB	MJM-W833DFB	
	3"	850	Mold on Rubber	Roller	MJM-W823MOB	MJM-W833MOB	
		2000	Cast Iron	Roller	MJM-W823CIB	MJM-W833CIB	
		2250	Phenolic	Roller	MJM-W823ACB	MJM-W833ACB	
			Polyurethane	Roller	MJM-W823MPB	MJM-W833MPB	
			V-Groove	Roller	MJM-W823GRB	MJM-W833GRB	
10"	2-1/2"	2250	Phenolic	Roller	MJM-W1023ACBSP	MJM-W1033ACBSP	11-1/2"
			Ductile Iron	Roller	MJM-W1023DFB	MJM-W1033DFB	
	3"	1000	Mold on Rubber	Roller	MJM-W1023MOB	MJM-W1033MOB	
		2250	Cast Iron	Roller	MJM-W1023CIB	MJM-W1033CIB	
			Phenolic	Roller	MJM-W1023ACB	MJM-W1033ACB	
			Polyurethane	Roller	MJM-W1023MPB	MJM-W1033MPB	
			V-Groove	Roller	MJM-W1023GRB	MJM-W1033GRB	
12"	3"	1150	Mold on Rubber	Roller	MJM-W1223MOB	MJM-W1233MOB	13-1/2"
		2250	Cast Iron	Roller	MJM-W1223CIB	MJM-W1233CIB	
			Phenolic	Roller	MJM-W1223ACB	MJM-W1233ACB	
			Polyurethane	Roller	MJM-W1223MPB	MJM-W1233MPB	
			Poly on Alum	Roller	MJM-W1223FAB	MJM-W1233FAB	
			Ductile Iron	Roller	MJM-W1223DFB	MJM-W1233DFB	

Mounting Specifications


Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
4-1/2" x 6-1/4"	2-7/16" x 4-15/16" slotted to 3-3/8" x 5-1/4"	1/2"



Heavy Duty Casters - 600 - 3500 Lbs



Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
6"	2-1/2"	1600	Phenolic	Roller	MJM-627ACBSP	MJM-637ACBSP	8"
		2500	V-Groove	Roller	MJM-627GRBSP	MJM-637GRBSP	
	3"	625	Mold-on Rubber	Roller	MJM-627MOB	MJM-637MOB	
		2000	Phenolic	Roller	MJM-627ACB	MJM-637ACB	
		2050	Polyurethane	Roller	MJM-627MPB	MJM-637MPB	
		3500	Cast Iron	Timken	MJM-627CSTM	MJM-637CSTM	
			Ductile Iron	Roller	MJM-627DFB	MJM-637DFB	
8"	2-1/2"	2000	Phenolic	Roller	MJM-827ACBSP	MJM-837ACBSP	10-1/2"
	3"	1680	Super Elastic	Timken	MJM-827RTTM	MJM-837RTTM	
		2500	Phenolic	Roller	MJM-827ACB	MJM-837ACB	
			Polyurethane	Roller	MJM-827MPB	MJM-837MPB	
		3000	V-Groove	Roller	MJM-827GRB	MJM-837GRB	
		3500	Cast Iron	Timken	MJM-827CSTM	MJM-837CSTM	
			Ductile Iron	Roller	MJM-827DFB	MJM-837DFB	
10"	2-1/2"	2500	Phenolic	Roller	MJM-1027ACBSP	MJM-1037ACBSP	12-1/2"
	3"	1000	Mold-on Rubber	Roller	MJM-1027MOB	MJM-1037MOB	
		2900	Phenolic	Roller	MJM-1027ACB	MJM-1037ACB	
		3000	Polyurethane	Roller	MJM-1027MPB	MJM-1037MPB	
			V-Groove	Roller	MJM-1027GRB	MJM-1037GRB	
		3500	Cast Iron	Timken	MJM-1027CSTM	MJM-1037CSTM	
			Ductile Iron	Roller	MJM-1027DFB	MJM-1037DFB	
12"	3"	1150	Mold-on Rubber	Roller	MJM-1227MOB	MJM-1237MOB	15-1/2"
		3000	Cast Iron	Roller	MJM-1227CSB	MJM-1237CSB	
		3500	Phenolic	Roller	MJM-1227ACB	MJM-1237ACB	
			Polyurethane	Roller	MJM-1227MPB	MJM-1237MPB	
			Ductile Iron	Roller	MJM-1227DFB	MJM-1237DFB	



Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
5-1/4" x 7-1/4"	3-3/8" x 5-1/4" slotted to 4-1/8" x 6-1/8"	1/2"



Heavy Duty Casters - 1500 - 4600 Lbs

Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
6"	2-1/2"	1600	Urethane on Cast	Roller	MJM-BM6250UCRB	MJM-BMR6250UCRB	8"
			Phenolic	Roller	MJM-BM6250BALRB	MJM-BMR6250BALRB	
		3500	Ducile Iron	Roller	MJM-BM6250DURB	MJM-BMR6250DURB	
	3"	2500	Phenolic	Roller	MJM-BM6300BALRB	MJM-BMR6300BALRB	
		4600	Ducile Iron	Roller	MJM-BM6300DURB	MJM-BMR6300DURB	
			V-Groove	Roller	MJM-BM6300VGDRB	MJM-BMR6300VGDRB	
			Urethane on Ductile	Roller	MJM-BM6300UDURB	MJM-BMR6300UDURB	
8"	2-1/2"	1800	Urethane on Cast	Roller	MJM-BM8250UCRB	MJM-BMR8250UCRB	10-1/2"
		2000	Phenolic	Roller	MJM-BM8250BALRB	MJM-BMR8250BALRB	
		3500	Ducile Iron	Roller	MJM-BM8250DURB	MJM-BMR8250DURB	
	3"	2500	Urethane on Cast	Roller	MJM-BM8300UCRB	MJM-BMR8300UCRB	
		3100	Phenolic	Roller	MJM-BM8300BALRB	MJM-BMR8300BALRB	
		4600	Ducile Iron	Roller	MJM-BM8300DURB	MJM-BMR8300DURB	
			V-Groove	Roller	MJM-BM8300VGDRB	MJM-BMR8300VGDRB	
			Urethane on Ductile	Roller	MJM-BM8300UDURB	MJM-BMR8300UDURB	
10"	2-1/2"	2300	Urethane on Cast	Roller	MJM-BM10250UCRB	MJM-BMR10250UCRB	12-1/2"
		2400	Phenolic	Roller	MJM-BM10250BALRB	MJM-BMR10250BALRB	
		4500	Ducile Iron	Roller	MJM-BM10250DURB	MJM-BMR10250DURB	
	3"	2500	Phenolic	Roller	MJM-BM10300BALRB	MJM-BMR10300BALRB	
		2800	Urethane on Cast	Roller	MJM-BM10300UCRB	MJM-BMR10300UCRB	
		4600	Ducile Iron	Roller	MJM-BM10300DURB	MJM-BMR10300DURB	
			V-Groove	Roller	MJM-BM10300VGDRB	MJM-BMR10300VGDRB	
			Urethane on Ductile	Roller	MJM-BM10300UDURB	MJM-BMR10300UDURB	
12"	3"	3200	Urethane on Cast	Roller	MJM-BM12300UCRB	MJM-BMR12300UCRB	15-1/2"
		3500	Phenolic	Roller	MJM-BM12300BALRB	MJM-BMR12300BALRB	
		4600	Ducile Iron	Roller	MJM-BM12300DURB	MJM-BMR12300DURB	
			V-Groove	Roller	MJM-BM12300VGDRB	MJM-BMR12300VGDRB	
			Urethane on Ductile	Roller	MJM-BM12300UDURB	MJM-BMR12300UDURB	

Mounting Specifications

Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
5-7/8" x 4-4/3"	4-3/4" x 2-3/8" Slotted to 4-1/8" x 6-1/8"	1/2"




Heavy Duty Casters - 2000 - 10000 Lbs



Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
6"	3"	2050	Urethane on Cast	Roller	MJM-KP63UC	MJM-KPR63UC	9"
		2500	Phenolic	Roller	MJM-KP63LAM	MJM-KPR63LAM	
		6000	Ductile Iron	Roller	MJM-KP63DU	MJM-KPR63DU	
	4"	5750	Urethane on Cast	Timken	MJM-KP64UC	MJM-KPR64UC	
		10000	Urethane on Ductile	Timken	MJM-KP64UDU	MJM-KPR64UDU	
			Ductile Iron	Timken	MJM-KP64DU	MJM-KPR64DU	
			V-Groove	Timken	MJM-KP64DUV	MJM-KPR64DUV	
8"	3"	2500	Urethane on Cast	Roller	MJM-KP83UC	MJM-KPR83UC	11"
		3100	Phenolic	Roller	MJM-KP83LAM	MJM-KPR83LAM	
		6000	Ductile Iron	Roller	MJM-KP83DU	MJM-KPR83DU	
	4"	5750	Urethane on Cast	Timken	MJM-KP84UC	MJM-KPR84UC	
		10000	Urethane on Ductile	Timken	MJM-KP84UDU	MJM-KPR84UDU	
			Ductile Iron	Timken	MJM-KP84DU	MJM-KPR84DU	
			V-Groove	Timken	MJM-KP84DUV	MJM-KPR84DUV	
10"	3"	2800	Urethane on Cast	Roller	MJM-KP103UC	MJM-KPR103UC	13"
		6000	Urethane on Ductile	Roller	MJM-KP103UDU	MJM-KPR103UDU	
			Ductile Iron	Roller	MJM-KP103DU	MJM-KPR103DU	
	4"	5750	Urethane on Cast	Timken	MJM-KP104UC	MJM-KPR104UC	
		10000	Urethane on Ductile	Timken	MJM-KP104UDU	MJM-KPR104UDU	
			Ductile Iron	Timken	MJM-KP104DU	MJM-KPR104DU	
			V-Groove	Timken	MJM-KP104DUV	MJM-KPR104DUV	
12"	3"	3200	Urethane on Cast	Roller	MJM-KP123UC	MJM-KPR123UC	15"
		6000	Urethane on Ductile	Roller	MJM-KP123UDU	MJM-KPR123UDU	
			Ductile Iron	Roller	MJM-KP123DU	MJM-KPR123DU	
	4"	5750	Urethane on Cast	Timken	MJM-KP124UC	MJM-KPR124UC	
		10000	Urethane on Ductile	Timken	MJM-KP124UDU	MJM-KPR124UDU	
			Ductile Iron	Timken	MJM-KP124DU	MJM-KPR124DU	
			V-Groove	Timken	MJM-KP124DUV	MJM-KPR124DUV	

Mounting Specifications



Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
6-1/4" x 7-1/2"	4-1/2" x 6" slotted to 4-1/8" x 6-1/8"	1/2"
Optional 8-1/2" x 8-1/2"	7" x 7"	5/8"



Heavy Duty Casters - 5000 - 25000 Lbs

Wheel Diameter	Tread Width	Capacity (Lbs)	Type	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
6"	4"	5750	Urethane on Cast	Timken	MJM-SH64UC	MJM-SHR64UC	9"
		17000	Urethane on Ductile	Timken	MJM-SH64UDU	MJM-SHR64UDU	
			Ductile Iron	Timken	MJM-SH64DU	MJM-SHR64DU	
			V-Groove	Timken	MJM-SH64VGD	MJM-SHR64VGD	
8"	4"	5750	Urethane on Cast	Timken	MJM-SH84UC	MJM-SHR84UC	11"
		17000	Urethane on Ductile	Timken	MJM-SH84UDU	MJM-SHR84UDU	
			Ductile Iron	Timken	MJM-SH84DU	MJM-SHR84DU	
			V-Groove	Timken	MJM-SH84VGD	MJM-SHR84VGD	
10"	4"	5750	Urethane on Cast	Timken	MJM-SH104UC	MJM-SHR104UC	13"
		17000	Urethane on Ductile	Timken	MJM-SH104UDU	MJM-SHR104UDU	
			Ductile Iron	Timken	MJM-SH104DU	MJM-SHR104DU	
			V-Groove	Timken	MJM-SH104VGD	MJM-SHR104VGD	
12"	4"	5750	Urethane on Cast	Timken	MJM-SH124UC	MJM-SHR124UC	15"
		17000	Urethane on Ductile	Timken	MJM-SH124UDU	MJM-SHR124UDU	
			Ductile Iron	Timken	MJM-SH124DU	MJM-SHR124DU	
			V-Groove	Timken	MJM-SH124VGD	MJM-SHR124VGD	
14"	5"	25000	Ductile Iron	Timken	MJM-SH144DU	MJM-SHR144DU	17"
			V-Groove	Timken	MJM-SH144VGD	MJM-SHR144VGD	
16"	5"	8400	Urethane on Cast	Timken	MJM-SH164UC	MJM-SHR164UC	19"
		25000	Urethane on Ductile	Timken	MJM-SH164UDU	MJM-SHR164UDU	

Mounting Specifications

Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
8-1/2" x 8-1/2"	7" x 7"	5/8"



Full Pneumatic Casters



Wheel Diameter	Tire Size	Capacity (Lbs)	Wheel Code	Ply Rating	Bearing Type	Model Number Swivel	Model Number Rigid	Load Height
6"	2 x 6	300	6PNRB	4	Ball	MJM-6-W13-940	MJM-6-W23-940	7-1/2"
8"	2.50 x 4	330	TEX8PNS	4	Ball	MJM-8-W13-940	MJM-8-W23-940	9-1/2"
	2.80/2.50 x 4	350	TEX8PNS-SP	4	Ball	MJM-W823PN	MJM-W833PN	10-1/2"
10"	4.10/3.50 x 4	400	TEX10PNS	4	Ball	MJM-10-W13-940	MJM-10-W23-940	12"
	3.00 x 4	440	BWTX10PN	4	Roller	MJM-W1023PN	MJM-W1033PN	
12"	4.10/3.50 x 6	500	TEX12PNS	4	Ball	MJM-12-W15-940	MJM-12-W25-940	15-1/2"
	4.00 x 4	640	BWTX12PN	4	Roller	MJM-W1223PN	MJM-W1233PN	14"
16"	4.80/4.00 x 8	440	BWE16PN4	2	Ball	MJM-W1623PN-2	MJM-W1633PN-2	17-3/4"
		960	BWTX16PNHD	4	Roller	MJM-W1623PN-4	MJM-W1633PN-4	
		1000	BWTZ16PN	6	Roller	MJM-W1623PN-6	MJM-W1633PN-6	
	4.80 x 8	1230	BWTMZ16PN	6	Timken	MJM-16-27-PNTM	MJM-16-37-PNTM	19-1/4"
18"	5.70 x 8	1560	BWTMZ18PN	8	Timken	MJM-18-27-PNTM	MJM-18-37-PNTM	21-1/4"

*Note:

Pneumatic wheels can be supplied urethane foam filled providing puncture proof performance.

Mounting Specifications

Wheel Series	Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
W13 and W23	4" x 4-1/2"	2-5/8" x 3-5/8" slotted to 3" x 3"	1/2"
W15, W25, W23 and W33	4-1/2" x 6-1/4"	2-7/16" x 4-15/16" slotted to 3-3/8" x 5-1/4"	1/2"
27 and 37	5-1/4" x 7-1/4"	3-3/8" x 5-1/4" slotted to 4-1/8" x 6-1/8"	1/2"

Stainless Steel Casters




Wheel Diameter	Tread Width	Capacity (Lbs)	Bearing Type	Model Number Swivel	Model Number Swivel w/ Brake	Model Number Rigid	Load Height
4"	1-3/8"	440	Delrin, Stainless	MJM-172349	MJM-174349	MJM-173349	5"
5"	1-3/8"	440	Delrin, Stainless	MJM-172359	MJM-174359	MJM-173359	6-1/8"
6"	1-5/8"	660	Delrin, Stainless	MJM-172369	MJM-174369	MJM-173369	7-5/8"
8"	1-7/8"	880	Delrin, Stainless	MJM-172379	MJM-174379	MJM-173379	9-1/4"

Mounting Specifications

Wheel Diameter	Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
4" and 5"	4-1/8" x 3-3/8"	3-3/16" x 2-7/16"	3/8"
6" and 8"	4-1/2" x 6-1/4"	4-3/16" x 3-1/8"	7-16"

Stainless Steel Casters



Wheel Diameter	Tread Width	Capacity (Lbs)	Bearing Type	Model Number Swivel	Model Number Swivel w/ Brake	Model Number Rigid	Load Height
3"	1-1/2"	500	Delrin, Stainless	MJM-SS315-P	MJM-SS315-PB	MJM-SS315-F	4-3/8"
	2"	700	Delrin, Stainless	MJM-SS320-P	MJM-SS320-PB	MJM-SS320-F	
4"	1-1/2"	600	Delrin, Stainless	MJM-SS415-P	MJM-SS415-PB	MJM-SS415-F	5-5/8"
	2"	800	Delrin, Stainless	MJM-SS420-P	MJM-SS420-PB	MJM-SS420-F	
5"	1-1/2"	600	Delrin, Stainless	MJM-SS515-P	MJM-SS515-PB	MJM-SS515-F	6-1/2"
	2"	900	Delrin, Stainless	MJM-SS420-P	MJM-SS420-PB	MJM-SS420-F	
6"	1-1/2"	700	Delrin, Stainless	MJM-SS520-P	MJM-SS520-PB	MJM-SS520-F	7-1/2"
	2"	900	Delrin, Stainless	MJM-SS620-P	MJM-SS620-PB	MJM-SS620-F	
8"	2"	1000	Delrin, Stainless	MJM-SS820-P	MJM-SS820-PB	MJM-SS820-F	9-1/2"

Mounting Specifications

Top Plate Size	Bolt Hole Centres	Attaching Bolt Size
Standard		
4" x 4-1/2"	2-5/8" x 3-5/8" slotted to 3" x 3"	3/8"
Optional		
5" x 5-1/2"	4" x 4" slotted to 4-1/8" x 4-1/2"	3/8"
5-5/16" x 6-11/16"	4-1/8" x 5-1/2"	3/8"
Other Top Plates available		

Spring Loaded Rolling Safety Ladders

The stabilisation system of these small ladders operates on spring loaded casters. Under the operator's weight, the casters retract and the tipped feet drop to the floor. Choose from 18" and 24" wide platforms.

Rolling Safety Ladders

Ladders with 18" wide Platform								
Model	Number of Steps	Height		Base		Platform		Weight (Lbs)
		Platform	Overall	Width	Depth	Width	Depth	
1570	1	11-1/2"	11-1/2"	18"	19"	16"	13"	10
1572-B	2	18"	18"	20"	20"	18"	13"	20
1573-B	3	27"	27"	20"	27"	18"	13"	25
1574-B	4	36"	36"	20"	31"	18"	13"	35



3-step model with a 24" wide platform.
MJM-1573


Ladders with 24" wide Platform								
Model	Number of Steps	Height		Base		Platform		Weight (Lbs)
		Platform	Overall	Width	Depth	Width	Depth	
1572	2	18"	18"	26"	20"	24"	13"	25
1573	3	27"	27"	26"	27"	24"	13"	35
1574	4	36"	36"	26"	31"	24"	13"	40

Model MJM-1574G


shown with optional removable safety chains on back portion of guardrail.



Operation of the safety feature for these ladders.




Pull lever to lift feet and move ladder.



Release lever to lower feet and secure ladder.

Model	Number of Steps	Height		Base		Platform		Weight (Lbs)
		Platform	Overall	Width	Depth	Width	Depth	
1573G	3	27"	67"	28"	30"	24"	13"	45
1574G	4	36"	76"	28"	36"	24"	13"	60
1575G	5	45"	85"	28"	43"	24"	13"	75
1576G	6	54"	94"	28"	50"	24"	13"	90
1577G	7	63"	103"	36"	56"	24"	13"	105
1578G	8	72"	112"	36"	70"	24"	20"	130
1579G	9	81"	121"	36"	77"	24"	20"	145
1580G	10	90"	130"	36"	82"	24"	20"	165
1581G	11	99"	139"	36"	89"	24"	20"	175
1582G	12	108"	148"	36"	95"	24"	20"	185
1583G	13	117"	157"	36"	102"	24"	20"	235
1584G	14	126"	166"	36"	108"	24"	20"	260
1586G	16	144"	184"	36"	128"	24"	20"	285



These self dumping hoppers are designed to dump entire load when unlatched and automatically return to upright position when empty, latch fully secured. The unique rocker system on these hoppers offers a more efficient unloading through added momentum in forward tilt and will provide years of trouble-free use. May be fitted with optional casters for added mobility. Come standard with forklift slots for safe transportation and unloading with forklift trucks. Three ranges of steel gauge are available to meet all requirements.

Capacity cu. Yd	Dimensions d. x h. x w.	Steel Gauge 10 ga.	Steel Gauge 3/16"	Steel Gauge 1/4"
		Model	Model	Model
0.25	45-1/2 x 26 x 38"	2005-A	—	—
0.5	51 x 31-1/2 x 44"	2010-A	2010-B	2010-C
0.75	58 x 36 x 44"	2015-A	2015-B	2015-C
1	63 x 41 x 44"	2020-A	2020-B	2020-C
1.5	63 x 41 x 54-1/2"	2025-A	2025-B	2025-C
2	63 x 41 x 66-1/2"	2030-A	2030-B	2030-C
3	79-1/2 x 45-1/2 x 66-1/2"	2035-A	2035-B	2035-C
4	77 x 58-1/2 x 66-1/2"	2040-A	2040-B	2040-C

Heavy Duty Service Carts

These 800 to 1200 lb capacity carts are essential to transport boxes, books and parts of all kind. All carts come with a push handle at one end. Their high quality finish makes them esthetically pleasing equipment highly appreciated in medical centers, schools, libraries, stores, government buildings, warehouses, etc. Choice of 5" rubber or non-marking resilex or 8" pneumatic wheels. Choice of 2 to 6 shelves. Shelves are welded on angle iron for extra strength. All shelves are lip up, some models available with lip down. The distance between shelves of these models is 27". Total height of carts with 5" casters is 36". With 8" wheels: 39.5".



2-Shelf Service Carts

Dimensions	1200 lbs capacity with 5" resilex casters		1000 lbs capacity with 5" rubber casters		800 lbs capacity with 8" pneumatic wheels	
	Model	Weight (Lbs)	Model	Weight (Lbs)	Model	Weight (Lbs)
18" x 24"	MJM-1015-A5RE	55	MJM-1015-A5CA	55	—	—
18" x 30"	MJM-1015-B5RE	60	MJM-1015-B5CA	60	MJM-1015-B8PN	68
18" x 36"	MJM-1015-G5RE	65	MJM-1015-G5CA	65	MJM-1015-G8PN	73
24" x 36"	MJM-1015-C5RE	70	MJM-1015-C5CA	70	MJM-1015-C8PN	78
20" x 43"	MJM-1015-D5RE	80	MJM-1015-D5CA	80	MJM-1015-D8PN	88
24" x 42"	MJM-1015-E5RE	75	MJM-1015-E5CA	75	MJM-1015-E8PN	83
24" x 48"	MJM-1015-F5RE	85	MJM-1015-F5CA	85	MJM-1015-F8PN	93

Low Profile Cart



Dimensions	Model	Weight (lbs)
18" x 30"	MJM-1044-A	90
24" x 36"	MJM-1044-B	110
20" x 43"	MJM-1044-C	120
24" x 48"	MJM-1044-D	125

One tilted handle 37" above floor. Top self height measures 25" above floor. Clearance between shelves is 16". Top and bottom shelves are lip down. Comes with 5" rubber casters (2 swivel and 2 rigid). 1000 lbs capacity.

3-Shelf Service Carts

The distance between shelves is 12.75".
Total height of carts with 5" casters is 36".
With 8" pneumatic wheels is 39.5".

Capacity of carts with 5" resilex casters: 1200 lbs.
With 5" rubber casters: 1000 lb. With 8" pneumatic wheels: 800 lb.



Multi-Shelf Service Carts



4-Shelf Service Carts

The distance between shelves is 12.75".
Total height of carts is 51". Capacity of carts with 5" resilex casters: 1200 lb. With 5" rubber casters: 1000 lb.

5-Shelf Service Carts

The distance between shelves is 12.75".
Total height of carts is: 65". Capacity of carts with 5" resilex casters: 1200 lb.
With 5" rubber casters: 1000 lb.



Dimensions	3-Shelf Models	4-Shelf Models	5-Shelf Models
18" x 24"	MJM-1020-A	—	—
18" x 30"	MJM-1020-B	MJM-1025-B	MJM-1030-B
24" x 36"	MJM-1020-C	MJM-1025-C	MJM-1030-C
20" x 43"	MJM-1020-D	MJM-1025-D	MJM-1030-D
24" x 42"	MJM-1020-E	MJM-1025-E	MJM-1030-E
24" x 48"	MJM-1020-F	MJM-1025-F	MJM-1030-F

Drum Hand Trucks

Model	Wheel type	Capacity (Lbs)
MJM-910	10" rubber	1200
MJM-915	10" rubber	1000
MJM-920	10" and 6" rubber	1000



MJM-910



MJM-915



MJM-920


Light Duty Hand Trucks

Frame size : 20" wide x 19" deep x 46" high.


Model	Plate	Wheel type	Handle Type	Capacity (Lbs)
MJM-508	8" x 14"	8" rubber	Double	600
MJM-510	8" x 14"	10" rubber	Double	600
MJM-510P	8" x 14"	10" Pneumatic	Double	600
MJM-588-8	8" x 14"	8" rubber	Single Loop	600
MJM-588-10	8" x 14"	10" rubber	Single Loop	600
MJM-588-10P	8" x 14"	10" Pneumatic	Single Loop	600
EN24	24" long extension adaptable to models 510P and 588-10P			




1751 Series (no shelf)



12 gauge
steel top



Wood filled
steel top



1-5/8" thick
wood top

HEIGHT OF ALL MODELS IS 34"

Industrial work benches

Accessories are available to customize benches and to satisfy various needs. Optional casters can be fitted to bench legs for mobility. Choice of two models, with or without shelves and three different top surfaces to choose from: steel top, wooden top or wood filled steel top for heavy duty use. All welded construction and high quality finish.

Industrial Work Bench			
Dimensions	Steel Top	Wood Top	Wood/Steel Top
24 x 48 x 34"	MJM-1751-A	MJM-1751-B	MJM-1751-C
24 x 60 x 34"	MJM-1751-D	MJM-1751-E	MJM-1751-F
30 x 60 x 34"	MJM-1751-G	MJM-1751-H	MJM-1751-I
30 x 72 x 34"	MJM-1751-J	MJM-1751-K	MJM-1751-L
36 x 60 x 34"	MJM-1751-M	MJM-1751-N	MJM-1751-O
36 x 72 x 34"	MJM-1751-P	MJM-1751-Q	MJM-1751-R

Heavy Duty Industrial Work Benches




Industrial Shelves with Mesh Decks

Description	Dimensions	Model
Beams	4 x 8"	MJM-P4-8
	4-1/2 x 9"	MJM-P4.5-9
	5-1/2 x 12"	MJM-P5.5-12
	4-1/2 x 10"	MJM-P4.5-10
Frames	36 x 12"	MJM-M36-12
	36 x 16"	MJM-M36-16
	42 x 8"	MJM-M42-8
	42 x 12"	MJM-M42-12
	42 x 16"	MJM-M42-16
	42 x 18"	MJM-M42-18
	42 x 20"	MJM-M42-20

45° curve section




Straight section



"H" support



Tripod



Specifications:

Frame: 2-1/2" x 1" x 12ga U-shaped steel

Roller : 1-1/2" dia. X 18ga. Steel

Axel : 5/16" HEX steel with spring supports

Ball bearings : with tempered steel retaining rings

Capacity: Support spaces with 10" c/c 400 lbs., with 5" c/c 800 lbs.

All supports are height adjustable.

Straight Section 10' in Length (Steel or Aluminium)

Roller Width	Nominal centres of rollers			
	2"	3"	4"	6"
16"	MJM-16-2	MJM-16-3	MJM-16-4	MJM-16-6
17"	MJM-17-2	MJM-17-3	MJM-17-4	MJM-17-6
20"	MJM-20-2	MJM-20-3	MJM-20-4	MJM-20-6
23"	MJM-23-2	MJM-23-3	MJM-23-4	MJM-23-6
26"	MJM-26-2	MJM-26-3	MJM-26-4	MJM-26-6

Note : For aluminium rollers suffix the model number with an "A". Ex. : MJM-16-2A

Lockers

Number
plate
(Optional)

Several types
of locks available
(Optional)



Spring-loaded
hinges to keep
doors closed

Inclined top



Upper and
lower ventilation
ports

Recessed base

Hooks,
shelves and
bars

Bottom available
in inclined steel
and perforated

All joints are completely soldered. Available in single, double, triple and quadruple units. The units hold one or several doors and are available in 21 different colours

Pallet Trucks ECO I-55

Pallet Trucks



- Heavy duty wheels and rollers are polyurethane mechanically bonded to an aluminum core
- Four helper rollers for easy entry and exit of pallets
 - 3-function control
 - Hand and foot release for lowering loads
- Lowered height : 2.9", Raised height 7.8"
- Fork length: 48" Overall fork width: 20.5" / 27"
 - Adjustable push rods
- Grease fittings and bushings at all pivot points
- Warranty: Pump - 2yrs, Truck - 1yr.

Capacity : 5500Lbs

Pallet Truck Rollers - Polyurethane




Wheel Diameter	Tread Width	Capacity (Lbs)	Bearing Type	Code
3"	3-1/4"	3000	Ball	MJM-R3350
3"	3-3/4"	3000	Ball	MJM-R3375
3"	3-7/8"	3000	Ball	MJM-R3387
3"	4"	3000	Ball	MJM-R3400
3"	4"	3000	Ball	MJM-R3254

Pallet Truck Wheels - Polyurethane



Wheel Diameter	Tread Width	Capacity (Lbs)	Bearing Type	Code
7"	2"	2500	Ball	MJM-RT720
8"	2"	2500	Ball	MJM-RT820

Pallet Truck Wheels and Rollers - Nylon



Wheel Diameter	Tread Width	Capacity (Lbs)	Bearing Type	Code
8" (wheel)	2"	2200	Ball	MJM-RT820N
3" (roller)	3-3/4"	1760	Ball	MJM-R3387N



Hydraulic Mobile Stackers

- Allows just one person to lift and move heavy pallets
- Provides a safe ergonomic alternative to fork lift trucks at a fraction of the cost
- Features a heavy duty 12 volt, 125 amps/hr battery with a built-in charger
- Charger plugs into any 110V outlet
- Easy to use, needs no special training to operate, and requires a minimum of maintenance
- Unique dual lifting chains are roller style, heavy duty steel exceeding a 6:1 safety factor
- Durable cylinder features a chrome plated ram and a relief valve for overload protection
- The straddle legs offer complete versatility by adjusting from 34" to 50" I.D.
- The forks are 42" long and adjust from 6" - 25" O.D.

Hydraulic Mobile Stackers		
Height	Capacity (Lbs.)	Model
96"	1500	MJM-A0090
120"	1500	MJM-A0091
132"	1500	MJM-A0092
144"	1500	MJM-A0070
96"	2000	MJM-A0093
120"	2000	MJM-A0094
132"	2000	MJM-A0095
144"	2000	MJM-A0071



MJM has over 15 years experience recovering industrial wheels and rollers. Whatever your application, we can offer you an unequalled choice of materials in all variations of hardness and in many colours. With our quality assurance programme, **MJM** maintains rigorous control over every step of our fabrication process. **MJM** inspects repairs and balances your rollers in accordance with your specifications.

Before




After



Recovering & Reconditioning Division
Repairing the treads of your wheels and rollers

Materials

- RUBBER
- SBR
- EPDM
- NITRILE
- SILICONE
- POLYURETHANE
- NEOPRENE
- EBONITE
- NYLON
- VITON
- ETC



Keeping your
business
rolling! >>



